

## TRANSDUCERS

**Transom Mount**

	Part No.	Name	Description	Compatible Units
	710002-1	SHS 7W	Six Beam, 53 Degree, 455kHz, 3D Sonar	Matrix 47 3D, 947c 3D, Wide 3D Vision, Wide 3D Vista, Wide 3D Paramount
	710022-1	XHS 6 16	Single Beam, 16 Degree, 200kHz	HDR200, HDR600, ProFlasher, Wide W, LCR- W
	710047-1	XHS 6 24	Single Beam, 24 Degree, 200kHz	Wide 100, Wide 128, 100SX
	710070-1	XT 6 20	Single/Dual Beam, 20/60 Degree, 200/83kHz	200DX, NS25, HDR200, HDR600, ProFlasher, Wide W, LCR-W, 405SX, Legend 1000, Legend 2000
	710067-1	XT 6 TB 90 P	Tri Beam, 20/60/90 Degree, 200/83/455kHz	300TX, 400TX, Wide Optic, Portrait, Panorama, Paramount,
	710159-1	XT 9 20 T	Single/Dual Beam, 20/60 Degree, 200/83kHz, Temp	Piranha 5, Xtreme 160T
	710043-1	XT WS	Wide Side, 200/455kHz, For 2D Models	Matrix, 37, 67, 87c, 97, Wide Optic, Portrait, Panorama, Paramount, 300TX, 400TX





## TRANSDUCERS

**Transom Mount Continued**

	Part No.	Name	Description	Compatible Units
	710172-1	XT 6 TB 90 T	Quad/Tri Beam, 20/60/90 Degree, 200/83/455kHz, Temp	Matrix 35, 37, 67, 87c, 97
	710178-1	XHS 9 20	Single/Dual Beam, 20/60 Degree, 200/83kHz	Matrix 12, 15, 17, 27, 67, 77c, 87c, 97, PiranhaMAX 10,15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c, HDR610, Piranha 1, Piranha 3
	710179-1	XHS 9 20 T	Single/Dual Beam, 20/60 Degree, 200/83kHz, Temp	Matrix10, 12, 15, 17, 20, 27, 67, 77c, 87c, 97, PiranhaMAX 10,15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c, HDR610, Piranha 2, Piranha, 4, XP 2000, XP 4000
	710183-1	XHS 9 DB 74 T	Dual Beam, 20/74 Degree, 200/50kHz, Temp	931c DF, 937c DF
	710193-1	XT 9 DB 74 T	Single/Dual Beam, 20/74 Degree, 200/50kHz, Temp	931c DF, 937c DF
	710187-1	XHS 9 SI 160 T	Dual/Side Imaging, 20/74/160 Degree, 200/50/455kHz, Temp	981c SI, 987c SI



## TRANSDUCERS

**Puck** (Glue inside Hull)

	Part No.	Name	Description	Compatible Units
	710060-1	XP 6 TB 90	Quad/Tri Beam, 20/60/90 Degree, 200/83/455kHz	300TX, 400TX, Wide Optic, Portrait, Panorama, Paramount, Matrix 35, 37, 67, 87c, 97
	710164-1	XP 9 20	Single/Dual Beam, 20/60 Degree, 200/83kHz	Matrix 12, 15, 17, 27, 67, 77c, 87c, 97, PiranhaMAX 10,15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c, HDR610
	710147-1	XP 9 20 T	Single/Dual Beam, 20/60 Degree, 200/83kHz, Temp Pigtail	Matrix 12, 15, 17, 27, 67, 77c, 87c, 97, PiranhaMAX 10,15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c, HDR610
	710194-1	XP 9 DB 74 T	Single/Dual Beam, 20/74 Degree, 200/50kHz, Temp Pigtail	931c DF, 937c DF

## TRANSDUCERS

**Angled Puck**

	Part No.	Name	Description	Compatible Units
	710061-1	XAP 6 TB 90	Quad/Tri Beam, 20/60/90 Degree, 200/455/83kHz	300TX, 400TX, Wide Optic, Portrait, Panorama, Paramount, Matrix 35, 37, 67, 87c, 97
	710165-1	XAP 9 20	Single/Dual Beam, 20/60 Degree, 200/83kHz	Matrix 12, 15, 17, 27, 67, 77c, 87c, 97, PiranhaMAX 10,15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c, HDR610


## TRANSDUCERS

**Trolling Motor**

	Part No.	Name	Description	Compatible Units
	710106-1	XTM 6 20	Single/Dual Beam, 20/60 Degree, 200/83kHz	200DX, NS25, HDR200, HDR600, Wide W, LCR-W, 405SX, Legend 1000, Legend 2000, Wide 100, 128, 100SX
	710058-1	XTM 6 TB 90	Quad/Tri Beam, 20/60/90 Degree, 200/83/455kHz	300TX, 400TX, Wide Optic, Portrait, Panorama, Paramount, Matrix 35, 37, 67, 87c, 97
	710176-1	XTM 9 20	Single/Dual Beam, 20/60 Degree, 200/83kHz	Matrix 10, 12, 15, 17, 20, 27, 67, 77c, 87c, 97, PiranhaMAX 10,15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c , Piranha 1, Piranha 3
	710160-1	XTM 9 20 T	Single/Dual Beam, 20/60 Degree, 200/83kHz, Temp	Matrix 10, 12, 15, 17, 20, 27, 67, 77c, 87c, 97, PiranhaMAX 10,15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c , Piranha 2, Piranha 4, XP2000, XP4000,
	710011-1	XTM WS	Wide Side, 200/455kHz,For 2D Models	Matrix, 37, 67, 87c, 97, Wide Optic, Portrait, Panorama, Paramount, 300TX, 400TX
	710173-1	XTM 6 TB 90 T	Quad/Tri Beam, 20/60/90 Degree, 200/83/455kHz, Temp	Matrix 35, 37, 67, 87c, 97
	710190-1	XTM 9 SI 160 T	Dual/Side Imaging, 20/74/160 Degree, 200/50/455kHz, Temp	981c SI, 987c SI




## TRANSDUCERS

**Trolling Motor Continued**

	Part No.	Name	Description	Compatible Units
	710192-1	XTM 9 DB 74 T	Single/Dual Beam, 20/74 Degree, 200/50kHz, Temp	931c DF, 937c DF

## TRANSDUCERS

**Portable Mount**

	Part No.	Name	Description	Compatible Units
	710108-1	XPT 6 20	Single/Dual Beam, 20/60 Degree, 200/83kHz	200DX, NS25, HDR200, HDR600, ProFlahser, Wide W, LCR-W, 405SX, Legend 1000, Legend 2000, Wide 100, 128, 100SX
	710059-1	XPT 6 TB 90	Quad/Tri Beam, 20/60/90 Degree, 200/83/455kHz	Matrix, 37, 67, 87, 97, Wide Optic, Portrait, Panorama, Paramount, 300TX, 400TX
	710161-1	XPT 9 20 T	Single/Dual Beam, 20/60 Degree, 200/83kHz, Temp	Matrix 10, 12, 15, 17, 20, 27, 67, 77c, 87c, 97, PiranhaMAX 10, 15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c, HDR610, Piranha 1, Piranha 3, Piranha 2, Piranha 4, XP2000, XP4000



## TRANSDUCERS

**Bronze Thru Hull**

	Part No.	Name	Description	Compatible Units
	710005-1	STH 7W	Six Beam, 53 Degree, 455kHz, 3D Sonar Transducer: 4.25" diameter x 1.250"H Shaft: 0.810" diameter	Matrix 47 3D, 947c 3D, Wide 3D Vision, Wide 3D Vista, Wide 3D Paramount
	710111-1	XTH 6 20	Single/Dual Beam, 20/60 Degree, 200/83kHz Transducer: 5.25"L x 2.75"W x 1.20"D Shaft: 0.860" diameter	200DX, NS25, HDR200, HDR600, ProFlahser, Wide W, LCR-W, Legend 1000, 2000, 405SX, Wide 100, 128, 100SX
	710063-1	XTH 6 TB 90	Quad/Tri Beam, 20/60/90 Degree, 200/83/455kHz Transducer: 5.25"L x 2.75"W x 1.20"D Shaft: 0.860" diameter	300TX, 400TX, Wide Optic, Portrait, Panorama, Paramount, Matrix 35, 37, 67, 87, 97
	710166-1	XTH 9 20	Single/Dual Beam, 20/60 Degree, 200/83kHz Transducer: 5.25"L x 2.75"W x 1.20"D Shaft: 0.860" diameter	Matrix 12, 15, 17, 27, 67, 77c, 87c, 97, PiranhaMAX 10,15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c, HDR610
	710184-1	XTH 9 DB 74	Dual Beam, 20/74 Degree, 200/50kHz Transducer: 5.25"L x 2.75"W x 1.20"D Shaft: 0.860" diameter	931c DF, 937c DF
	710191-1	XTH 9 DB 35KW	Dual Beam, 1 KWatt, 200/50kHz Transducer: 7"L x 4.20"W x 1.5"D	931c DF, 937c DF
	740085-1	FB1KW	Fairing Block for XTH 9 DB 35 KW	XTH 9 DB 35 kW





## TRANSDUCERS

**Bronze Thru Hull 3 in 1**

	Part No.	Name	Description	Compatible Units
	710062-1	XTD 6 TB 90	Quad/Tri Beam, 20/60/90 Degree, 200/83/455kHz, Temp/Speed Transducer: 7" L x 2.5" W x 1.25" D Front Shaft: 0.75" diameter Back Shaft: 2" diameter	300TX, 400TX, Wide Optic, Portrait, Panorama, Paramount, Matrix 35, 37, 67, 87, 97
	710186-1	XTD 9 DB 74	Dual Beam, 20/74 Degree, 200/50kHz, Temp/Speed Transducer: 7" L x 2.5" W x 1.25" D Front Shaft: 0.75" diameter Back Shaft: 2" diameter	931c DF, 937c DF



## TRANSDUCERS

**Plastic Thru Hull**

	Part No.	Name	Description	Compatible Units
	710110-1	XTH 6 20 P	Single/Dual Beam, 20/60 Degree, 200/83kHz Transducer: 3.9" L x 2.5" W x 1.16" D Shaft: 1.0" diameter	200DX, NS25, HDR200, HDR600, ProFlahser, Wide W, LCR-W, Legend 1000, 2000, 405SX, Wide 100, 128, 100SX
	710068-1	XTH 6 TB 90 P	Quad/Tri Beam, 20/60/90 Degree, 200/83/455kHz Transducer: 3.9" L x 2.5" W x 1.16" D Shaft: 1.0" diameter	300TX, 400TX, Wide Optic, Portrait, Panorama, Paramount, Matrix 35, 37, 67, 87, 97
	710167-1	XTH 9 20 P	Single/Dual Beam, 20/60 Degree, 200/83kHz Transducer: 3.9" L x 2.5" W x 1.16" D Shaft: 1.0" diameter	Matrix 12, 15, 17, 27, 67, 77c, 87c, 97, PiranhaMAX 10, 15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c, HDR610
	710185-1	XTH 9 DB 74 P	Dual Beam, 20/74 Degree, 200/50kHz Transducer: 6" L x 3" W x 1.4" D Shaft: 1.0" diameter	931c DF, 937c DF



## TRANSDUCERS

**Plastic Thru Hull Continued**

	Part No.	Name	Description	Compatible Units
	710189-1	XTH 9 SI 160 P	Dual/Side Imaging, 20/74/160 Degree, 200/50/455kHz Transducer: 6"L x 3"W x 1.4"D Shaft: 1.0" diameter	981c SI, 987c SI
	710181-1	XFM 9 20	Dual Beam, 20/60 Degree, 200/83kHz Flush Mount Bottom: 3.0" diameter Depth: 0.200" Shaft: 2.0" diameter	Matrix 12, 15, 17, 27, 67, 77c, 87c, 97, PiranhaMAX 10,15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c, HDR610



## TRANSDUCERS

**Second Station Kits**

	Part No.	Name	Description	Compatible Units
	700039-1	DBK2	XTM 9 20 T (Single/Dual Beam, 20/60 Degree, 200/83kHz, Temp), MS M (Quick Disconnect Mounting System), PC 10 (Power Cable)	Matrix 12, 15, 17, 27, 67, 77c, 87c, 97, PiranhaMAX 10,15, 20, 931c, 937c, 515, 525, 535, 565, 585c, 595c
	700038-1	QKB	XTM 6 TB 90 T (Quad/Tri Beam, 20/60/90 Degree, 200/83/455kHz, Temp), MS M (Quick Disconnect Mounting System), PC 10 (Power Cable)	Matrix 35, 37, 67, 87c, 97





## TRANSDUCERS MOUNTING HARDWARE

**Trolling Motor Adapters**

	Part No.	Name	Description	Compatible Units
	740006-1	AD STM	Plastic for Small Housing Transducers	XHS 6 24, XHS 9 24, XHS 9 24 T, XHS 9 20, XHS 9 20 T
	710006-3	AD STM 7	Metal for Large Housing Transducers	SHS 7W, XHS 6 16, XT 6 20, XT 6 24, XT 6 TB 90, XT 9 20 T, XT WS, XT 6 TB 90 T, XHS 9 DB 74 T, XHS 9 SI 160 T, XT 9 DB 74 T




## TRANSDUCERS MOUNTING HARDWARE

**Transom Mounting Hardware**

	Part No.	Name	Description	Compatible Units
	740011-1	MHX HS	HDWE - High Speed 200 kHz Metal & Plastic	SHS 7W, XHS 6 16, XT WS, XHS 9 DB 74 T, XHS 9 SI 160 T
	740012-1	MHX SHS	HDWE - High Speed 455 KHZ Plastic Small One Piece	XHS 6 24, XHS 9 24, XHS 9 24 T
	740038-1	MHX XT	HDWE - High Speed XDUCER Plastic Large two Piece	XT 9 DB 74 T, XT 6 20, XT 6 TB 90 P, XT 6 TB 90T, XT 6 DB 74 , XT 6 24, XT 9 20 T
	740079-1	MHX SHS2	HDWE - High Speed XDUCER Plastic, Small, Two Piece	XHS 9 20, XHS 9 20 T



## TRANSDUCERS MOUNTING HARDWARE

**Portable Mounting Hardware**

	Part No.	Name	Description	Compatible Units
	740011-2	MHX PT	HDWE - Portable Transducer	SHS 7W, XHS 6 16, XT WS, XHS 9 DB 74 T, XHS 9 SI 160 T
	740011-5	MHX PT2	HDWE - Portable Transducer	XT 6 TB 90 P, XT 6 TB 80 T, XT 6 20, XT 6 24, XHS 9 20 T, XHS 9 20
	740011-3	MHX SPT	HDWE - Portable Transducer	XHS 6 24, XHS 9 24, XHS 9 24 T

## UNIT MOUNTING SYSTEMS

**Quick Disconnect**

	Part No.	Name	Description	Compatible Units
	740005-5	MS2 Y	Quick Disconnect Mount System - Wide Series	All Wide Units, 100SX, 200DX, 300TX, 400TX
	740077-1	MS M	Quick Disconnect Mount System - Matrix/500 Series	All Matrix and 500 Series units except Matrix 97





## UNIT MOUNTING SYSTEMS

**In-Dash**

	Part No.	Name	Description	Compatible Units
	740080-1	IDMK M	Matrix In Dash Mounting Kit	All Matrix and 500 Series units except Matrix 97
	740084-1	IDMK700	700 Series In Dash Mounting Kit	All 700 Series Units




## UNIT MOUNTING SYSTEMS

**Gimbal**

	Part No.	Name	Description	Compatible Units
	740068-1	MS P	Mount System - Piranha	All Piranha and PiranhaMAX units
	740069-1	MKH P	Mounting Knob - Piranha	All Piranha and PiranhaMAX units
	740070-1	MS PS	Mount System, Swiveling - Piranha	All Piranha and PiranhaMAX units
	740083-1	GM 2	Gimbal Mount - 900 Series	All 900Series Units



## UNIT MOUNTING SYSTEMS

**Gimbal (Continued)**

	Part No.	Name	Description	Compatible Units
	740082-1	MKH 2	Mounting Knobs - 900 Series	All 900Series Units
	740065-1	GM 1	Gimbal Mount - Matrix 97	Matrix 97
	740075-1	MKH L	Mounting Knobs - Matrix 97	Matrix 97


## SENSORS

**Temperature/Speed Sensors**

	Part No.	Name	Description	Compatible Units
	730001-1	TS WFM	Flush Mount Speed/Temp	All Matrix, 700 Series, 500 Series, 900 Series, Wide Series (except Wide One, 100, 128) 300TX, 400TX
	730000-1	TS W	Transom Mount Speed/Temp	All Matrix, 700 Series, 500 Series, 900 Series, Wide Series (except Wide One, 100, 128) 300TX, 400TX


## SENSORS

**Temperature Sensors**

	Part No.	Name	Description	Compatible Units
	730010-1	TG W	Transom Mount Temp	All Matrix, 700 Series, 500 Series, 900 Series, Wide Series (except Wide One, 100, 128) 300TX, 400TX, Piranha, PiranhaMAX



## SENSORS

**Speed Sensors**

	Part No.	Name	Description	Compatible Units
	730021-1	SW	Transom Mount Speed	All Matrix, 700 Series, 500 Series, 900 Series



## CABLES

**Transducer Extension Cables**

	Part No.	Name	Description	Compatible Units
	720006-6	EC 6	10 Feet, 2 Pin	Wide 100, 128, 100SX, 200DX, NS25, HDR600, HDR200, ProFlasher, Wide W, LCR-W, 405SX, Legend, 1000, 2000
	720006-620	EC 6 20	20 Feet, 2 Pin	Wide 100, 128, 100SX, 200DX, NS25, HDR600, HDR200, ProFlasher, Wide W, LCR-W, 405SX, Legend, 1000, 2000



## CABLES

**Transducer Extension Cables Continued**

	Part No.	Name	Description	Compatible Units
	720003-1	EC W10	10 Feet, 7 Pin	All Matrix, 700 Series, 500 Series, 900 Series, Wide Series (except Wide One, 100, 128) 300TX, 400TX, Piranha, PiranhaMAX, HDR610
	720003-2	EC W30	30 Feet, 7 Pin	All Matrix, 700 Series, 500 Series, 900 Series, Wide Series (except Wide One, 100, 128) 300TX, 400TX, Piranha, PiranhaMAX, HDR610


## CABLES

**Temperature/Speed Extension Cables**

	Part No.	Name	Description	Compatible Units
	720004-1	EC TS10	10 Feet, 4 Pin	TS W, SW, TG W, TSW FM
	720004-2	EC TS30	30 Feet, 4 Pin	TS W, SW, TG W, TSW FM


## CABLES

**Power Cable**

	Part No.	Name	Description	Compatible Units
	720002-1	PC 10	6 Feet, All Current Line Products	All Humminbird Models after 1988



## CABLES

**Adapter Cable**

	Part No.	Name	Description	Compatible Units
	760017-1	AD 629	Transducer Adapter Cable - Converts 2 Pin to 7 Pin Plugs	Wide 100, 128, 100SX, 200DX, NS25, HDR600, HDR200, ProFlasher, Wide W, LCR-W, 405SX, Legend, 1000, 2000


## SWITCHES

**Transducer Switch - Two Transducer one Fishfinder**

	Part No.	Name	Description	Compatible Units
	720005-1	TS1 WS 3D	3D to Wide Side	Wide 3D View, 3D Vision, 3D Vista
	720012-1	TS2 W	DB/TB to Wide Side	All Matrix (except 47 3D), 700 Series, 500 Series, 900 Series (except 947c 3D), Wide Series (except Wide One, 100, 128 3D View, 3D Vision, 3D Vista), 300TX, 400TX, Piranha, PiranhaMAX, HDR610

## SWITCHES

**Fishfinder Switch - Two Fishfinders one Transducer**

	Part No.	Name	Description	Compatible Units
	720014-1	US2 W	Unit Switch	Matrix (except 47 3D), 700 Series, 500 Series, 900 Series (except 947c 3D), Wide Series (except Wide One, 100, 128 3D View, 3D Vision, 3D Vista), 300TX, 400TX, Piranha, PiranhaMAX, HDR610






## ADVANCED ACCESSORIES

**Fishing System Accessories**

	Part No.	Name	Description	Compatible Units
	700032-1	AS RSL	Smartcast Wireless Sonar Link	All Matrix, 900Series, 700Series
	760015-1	AS HHGAR205	Garmin Hand Held Connection Cable: E-Trex, Geko	All Matrix, 900Series, 700Series
	760014-1	AS HHGAR082	Garmin Hand Held Connection Cable: GPS 2+, 3+, 5, 72, 76	All Matrix, 900Series, 700Series
	760016-1	AS HHMAG344	Magellan Hand Held Connection Cable: Meridian, Sportrak	All Matrix, 900Series, 700Series
	405130-1	AS BP	WeatherSense Barometric Pressure Monitor	All Matrix, 900Series, 700Series
	700035-1	AS PC2	Personal Computer Serial Connection Cable	All Matrix, 700Series
	700030-1	AS HHGPS	Bare Wire GPS/NMEA Connection Cable	All Matrix, 900Series, 700Series
	720051-1	AS YC	Y Cable (Splits GPS Input from Accessory Bus)	All Matrix, 900Series, 700Series


## ADVANCED ACCESSORIES

**Fishing System Accessories Continued**

	Part No.	Name	Description	Compatible Units
	406340-1	AS GR16	16 Channel WAAS GPS Receiver - NMEA 0183	All Matrix, 900Series, 700Series
	720050-1	AS EC10	10' Accessory System Extension Cable	All Matrix, 900Series, 700Series
	700037-1	AS CR	USB MMC Card Reader	All Matrix, 900Series, 700Series
	760018-1	AS USB	USB Serial Connection for Personal Computer	All Matrix, 700Series
	720052-1	AS SYSLINK	10' Accessory System Extension Y Cable to connect two Units to one GPS Receiver - NMEA 0183	All Matrix, 900Series, 700Series





## Humminbird Fishfinder Accessories

**Unit Covers**

	Part No.	Name	Description	Compatible Units
	780006-1	UC P	Unit Cover - Piranha	All Piranha, PiranhaMAX
	780004-1	UC WL	Unit Cover - Classic Large Housing	All Large Wide Units, 400TX, 405SX
	780003-1	UC WS	Unit Cover - Classic Small Housing	Small Wide Units, 100SX, 105SX, 200DX
	780007-1	UC M	Unit Cover - Matrix & 500 Series	All Matrix (except Matrix 97) 500 Series
	780009-1	UC 2	Unit Cover - 900 Series	All 900 Series
	780010-1	UC 3	Unit Cover - 700 Series	All 700 Series




## Humminbird Fishfinder Accessories

**Portable Conversion Kits**

	Part No.	Name	Description	Compatible Units
	405480-1	PTC P	Portable Conversion Kit - Piranha	All Piranha, PiranhaMAX
	403720-1	PTC W2	Portable Conversion Kit - Wide/Matrix/500 Series	All Matrix (except Matrix 97) 500 Series, Wide, 100SX, 105SX, 200DX, 300TX, 400TX
	740002-1	BAP	Set of Two Adapters for 4 "D" Cell Batteries	PTC W2
	740072-1	MS PPM	Portable Case Lock Down Mount - Piranha/SmartCast	All Piranha, PiranhaMAX

## Humminbird Fishfinder Accessories

**Options**

	Part No.	Name	Description	Compatible Units
	780000-1	CC W	Protective Carrying Case for Wide/Matrix/500 Series	All Matrix (except Matrix 97) 500 Series, Wide, 100SX, 105SX, 200DX, 300TX, 400TX
	740036-1	MC W	Quick Disconnect Mount System Protective Cap	All Matrix (except Matrix 97) 500 Series, Wide, 100SX, 105SX, 200DX, 300TX, 400TX
	740078-1	MBCC M	Mounting System Cable Collector- Matrix	All Matrix (except Matrix 97) 500 Series